DEVELOPMENT OF STUDENT WEB PORTAL USING PYTHON PROGRAMMING

Dr. K. Valarmathi Professor,

Ms. V. Hemapriya Assistant Professor,

Computer Science and Engineering, Panimalar Engineering College, Chennai, Tamilnadu, India

Abstract— Python is used for creating web sites, but it is a tedious task for creating dynamic web page securely. To make Python program more interactive, CGI Program act as a gateway interface for implementing Python. Many methods were used to create dynamic web page in server side scripting language. Python programming takes major role to create dynamic web page more securely using MYSQL database connectivity. Now a day's maintaining Student database is a difficult process in many organizations. Hence the proposed work reduces the difficulties of maintaining the student database using Python. Keywords— CGI (Common Gateway Interface), MYSQL

I. INTRODUCTION

Python is a dynamic, interpreted scripting language. Python Source code does not declare the types of variables or parameters or methods. This feature makes the code short and flexible. Python was developed by Guido van Rossum in the late eighties and early nineties at the National Research Institute for Mathematics and Computer Science in the Netherlands. Python is derived from many other languages like C, C++ and UNIX shell and other scripting languages.

In Python programming explicit declaration of variable is not necessary .Variables can be assigned and used directly by assigning the values. Python program can be typed using different editors namely **vi editor** or **gedit** facilities. Python programs save with the extension of **.py**.

Python features

1.1 Python's feature highlights include

Limited keywords: Python has limited keywords, follows simple structure, and simple syntax.

Easy readability: Python code provides clear readability

Easy-to-maintain: Maintaining Python's code is the key secret of python programming

A huge standard library: contains cross platform compatible libraries common to UNIX, Windows and Macintosh.

Portable: Python can run on a wide variety of hardware platforms and has the same interface on all platforms.

Mrs. D. Anuradha Associate Professor,

Ms. S. Sathya Assistant Professor,

Computer Science and Engineering, Panimalar Engineering College, Chennai, Tamilnadu, India

Extendable: Low-level modules can be added to Python interpreter. This facility helps the programmers to add or customize their

GUI Programming: Python supports GUI applications that can be created and ported to many system calls, libraries and windows systems, such as Windows MFC, Macintosh and the X Window system of Unix.

Scalable: Python provides a better structure and support for large programs than shell scripting.

Databases: Python provides interfaces to all major commercial databases.



Fig 1: Python Database

II. HTTP PROTOCOL

2.1 Simple Python Code (For Printing Employee Details)

Code is implemented and tested in BOSS 5.0(Bharat Operating System Solutions) (ANOKHA 32 bit)

Click applications -> Accessories -> Terminal

vi employee.py (For typing the python program)

© 2017 IJAICT (www.ijaict.com)

python employee.py (for Executing python program) EMPLYOYEE.PY

Reading Employee Details and Printing the same class Employee:

pass john = Employee() # Create an empty employee record # Fill the fields of the record john.prno = 20110001john.name = 'John Doe' john.dept = 'Computer Lab' john.salary = 15000print "-----" print "Employee Details" print "-----" print "Prno = ",john.prno print "Name = ",john.name print "Dept = ",john.dept print "Salary = ",john.salary

OUTPUT

[fosslab@bosslab]\$ python employee.py

Employee Details _____

Prno = 20110001Name = John Doe Dept = Computer Lab Salary = 15000

PYTHON CODING WITH MYSOL DATABASE III.

Create Database and Table using MYSQL

Step 1: mysql -u root -p \\To connect with mysql password: \\ Create database

Step 2: create database student;

Step 3: use student; \\Using database create a table Step 4: create table details(regno varchar(10),

name varchar(20), subcode1 varchar(5), mark1 int(3), subcode2 varchar(5), mark2 int(3), subcode3 varchar(5), mark3 int(3), subcode4 varchar(5), mark4 int(3), subcode5 varchar(5), mark5 int(3));

Step 5: desc details; \\describe the table details Step6: insert into details vales('2114110401','John','cs2351',80,'cs2352',85,'cs2353',90,' cs2354',100,'cs2355',96); Step7: insert into details vales('2114110402','Black','cs2351',70,'cs2352',75,'cs2353',80, 'cs2354'

'cs2354',85,'cs2355',90);

Step8: insert into details vales('2114110403','Patrieck','cs2351',90,'cs2352',85,'cs2353', 80,'cs2354',75,'cs2355',79);

Step9: insert into details vales('2114110406', 'Anu', 'cs2351', 45, 'cs2352', 85, 'cs2353', 90, 'c s2354'.100.'cs2355'.96):

++	+_	++	+	+
Field	Туре	Null Key	Default	Extra
++	+_	++	+	+
regno	varchar(10)	YES	NULL	
name	varchar(20)	YES	NULL	
subcode1	varchar(5)	YES	NULL	Í Í
mark1	int(3)	YES	NULL	ÌÌ
subcode2	varchar(5)	YES	NULL	Í
mark2	int(3)	YES	NULL	ÌÌ
subcode3	varchar(5)	YES	NULL	ÍÍ
mark3	int(3)	YES	NULL	ÌÌ
subcode4	varchar(5)	YES	NULL	ÍÍ
mark4	int(3)	YES	NULL	ÌÌ
subcode5	varchar(5)	YES	NULL	ÍÍ
mark5	int(3)	YES	NULL	i i
++	+-	+	+	+

Step 10: select * from details;

+++			††	
regno name subcode1 mark1 subcode2 mark2 su	bcode3 mark3	subcode4 marl	(4 subcode5 ma	rk5∣
+++++++	·+	++	++	
2114110401 John cs2351 80 cs2352	85 cs2353	90 cs2354	100 cs2355	96
2114110402 Black cs2351 70 cs2352	75 cs2353	80 cs2354	85 cs2355	90
2114110403 Patrieck cs2351 90 cs2352	85 cs2353	80 cs2354	75 cs2355	79
2114110406 Anu cs2351 45 cs2352	85 cs2353	90 cs2354	100 <u>cs2355</u>	96
т т т т т т	. +	+ +	1 I	

Create a Web page Using HTML:

Step 1: su password: Step 2: cd /var/www \\ Location of html program Step 3: vi simple.html <html> <head> <title> Sample</title> </head> <form action= "simple3.cgi" method="post"> Register number: <input type="text" name="regno"> <input type="submit" name="submit" > </form> <body> </body> </html>

Create a Web page using python with CGI script:

Step 1: cd /var/www Location CGI // of program Step 2: vi simple3.cgi #!/usr/bin/python import cgi form = cgi.FieldStorage() regno=form.getvalue('regno') print "Content-type: text/html\n\n" print "<h1>Student Result</h1>"

© 2017 IJAICT (www.ijaict.com)

details

where

import MySQLdb # Open database connection db = MySQLdb.connect("localhost","root","root","student") # prepare a cursor object using cursor() method cursor = db.cursor() cursor.execute("select regno,name,subcode1,mark1,subcode2,mark2,subcode3,mark3 .subcode4,mark4,subcode5,mark5 from regno='%s' "% regno) data=cursor.fetchall() if not data: print "<H1>!!!Invalid Register number</h1>" for row in data: print "" print "" print "" print " Register number " print "" print "" print row[0] print " print "" print "" print "" print " Name " print "" print "" print row[1] print "" print " print "" print "
" print "
" print "
" print "" print "" print "" print "Subcode" print "" print "" print "Marks" print "" print "" print "Result" print "" print "" print "" print "" print row[2] print "" print "" print row[3] print "" print "" if row[3]>=50: print "Pass" else: print "Fail" print "" print "" print ""

print "" print row[4] print "" print "" print row[5] print "" print "" if row $[5] \ge 50$: print "Pass" else: print "Fail" print " print " print "" print "" print row[6] print "" print "" print row[7] print " print "" if row[7]>=50: print "Pass" else: print "Fail" print "" print "" print "" print "" print row[8] print "" print "" print row[9] print "" print "" if row[9]>=50: print "Pass" else: print "Fail" print "" print " print "" print "" print row[10] print "" print "" print row[11] print "" print "" if row[11]>=50: print "Pass" else: print "Fail" print "" print " print "" cursor.close() # disconnect from server db.close()

Execution Steps:

© 2017 IJAICT (www.ijaict.com)

Go to Application → Internet → Iceweasel Web Browser http://localhost/simple.html

OUTPUT SCREEN SHOTS

<u>F</u> ile	<u>E</u> dit	<u>V</u> iew	Hi <u>s</u> tory	<u>B</u> ookmarks	<u>T</u> ools	<u>H</u> elp
(_) Sa	ample			+		
O localhost/simple.html						
Reg	lister	numb	ber:			Submit Query

<u>F</u> ile	<u>E</u> dit	<u>V</u> iew	Hi <u>s</u> tory	<u>B</u> ookma	rks	<u>T</u> ools	<u>H</u> elp	
ht	tp://lo	calhost/1	^f orm.html	*	[] 5	Sample		×
+	♦ ♦ Ølocalhost/simple.html							
Reg	lister	numb	er: 2114	4110401			Subi	mit Query

<u>F</u> ile	<u>E</u> dit	<u>V</u> iew	Hi <u>s</u> tory	<u>B</u> ookma	irks <u>T</u>
h	ttp://loo	alhost	/form.html	×	[] htt
+	loc	alhost/	/simple3.co	gi	

Student Result

Register number	2114110401
Name	John

Subcode	Marks	Result
cs2351	80	Pass
cs2352	85	Pass
cs2353	90	Pass
cs2354	100	Pass
cs2355	96	Pass

<u>F</u> ile	<u>E</u> dit	<u>V</u> iew	Hi <u>s</u> tory	<u>B</u> ookmarks	<u>T</u> ools	<u>H</u> elp	
ht	tp://lo	calhost,	/form.htm	ı 🛛 🗙 🖂 :	Sample		1
+	• [🕙 local	l host /simp	le.html			
Reg	ister	numb	oer: 211	411040112		Sub	mit Query

			4					
<u>F</u> ile	<u>E</u> dit	<u>V</u> iew	Hi <u>s</u> tory	<u>B</u> ookma	arks	<u>T</u> ools	<u>H</u> elp	
ht	tp://lo	calhost	/form.htm	L ×		nttp://lo	calhost/simple3.cgi	×
+	🛞 lo	calhost/	/simple3.c	qi	25			

Student Result !!!Invalid Register number

References

- [1] Introduction to Computation and Programming Using Python, Spring 2013 edition By John V. Guttag
- [2] CGI Programming On The World Wide Web Shishir Gundavaram
- [3] web technologies a computer science perspective jeffrey c. Jackson

· ·		